		T		- WW	1/5
L Number			DB	Time stamp	
2	30655		USPAT;	2004/01/05	10:40
		multiple ADJ1 access\$3)	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
3	145495	code\$1 WITH generat\$5	IBM_TDB USPAT;	2004/01/05	10.41
٦	143433	Codesi with generals	· · · · · ·	2004/01/05	10:41
			US-PGPUB; EPO; JPO;		
			DERWENT;		
			IBM TDB		
4	6582	(\$2CDMA OR (code ADJ1 division ADJ1	USPAT;	2004/01/05	10.41
		multiple ADJ1 access\$3)) AND (code\$1 WITH	US-PGPUB;	2001/01/00	10.11
		generat\$5)	EPO; JPO;		
			DERWENT;		
			IBM TDB		
6	5493	((time ADJ1 division ADJ1 duplex\$3) OR	USPAT;	2004/01/05	10:42
		TDD) OR ((discontinuous ADJ1 transmission	US-PGPUB;		
		ADJ1 control\$1) OR DTX\$2)	EPO; JPO;		
			DERWENT;		
1,	1	(000pm, op. ( ) ) ====	IBM_TDB		
7	1747	(\$2CDMA OR (code ADJ1 division ADJ1	USPAT;	2004/01/05	10:42
		multiple ADJ1 access\$3)) AND (((time ADJ1	US-PGPUB;		
		division ADJ1 duplex\$3) OR TDD) OR	EPO; JPO;		
		((discontinuous ADJ1 transmission ADJ1 control\$1) OR DTX\$2))	DERWENT;		
8	<b>₩ 1</b> 518	(\$2CDMA OR (code ADJ1 division ADJ1	IBM_TDB	2004/01/05	10 41
"	y <b>▼</b> 3±0	multiple ADJ1 access\$3)) AND (code\$1 WITH	USPAT; US-PGPUB;	2004/01/05	12:41
I		generat\$5) AND (((time ADJ1 division ADJ1	EPO; JPO;		
		duplex\$3) OR TDD) OR ((discontinuous ADJ1	DERWENT;		
i		transmission ADJ1 control\$1) OR DTX\$2))	IBM TDB		
9	238	hokao.in.	USPAT;	2004/01/05	12:41
			US-PGPUB;	2001,02,00	
			EPO; JPO;		
*			DERWENT;		
	/		IBM TDB		
10	<b>√</b> 11	hokao.in. AND (\$2CDMA OR (code ADJ1	USPAT;	2004/01/05	12:49
		division ADJ1 multiple ADJ1 access\$3))	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
111	18857	(discontin\$5 OR aribtrar\$4) WITH (time\$1	IBM_TDB USPAT;	2004/01/05	10.50
	1000,	OR timing\$1)	US-PGPUB;	2004/01/05	12:50
1			EPO; JPO;		
1			DERWENT;		
	1		IBM TDB		
12	✓ 313	((discontin\$5 OR aribtrar\$4) WITH (time\$1	USPAT;	2004/01/05	13:52
		OR timing\$1)) AND (\$2CDMA OR (code ADJ1	US-PGPUB;		
		division ADJ1 multiple ADJ1 access\$3))	EPO; JPO;		
			DERWENT;		
12	3663	hainsi	IBM_TDB		
13	3663	heisei	USPAT;	2004/01/05	13:52
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
14	n	heisei AND (10-336749 OR "10336749")	IBM_TDB USPAT;	2004/01/05	13.50
			US-PGPUB;	2004/01/03	10:07
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
15	✓ 35		USPAT;	2004/01/05	13:56
		ADJ1 generat\$4))	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
1.6			IBM_TDB		
16	28500	(shift\$1register\$3 OR register\$1) SAME	USPAT;	2004/01/05	13:57
		(code\$1 OR spread\$4cod\$1) SAME (bit OR	US-PGPUB;		
		bits)	EPO; JPO;		
			DERWENT;		
L			IBM TDB		_ 1

17	729	((shift\$1register\$3 OR register\$1) SAME (code\$1 OR spread\$4cod\$1) SAME (bit OR bits)) AND (\$2CDMA OR (code ADJ1 division	USPAT; US-PGPUB; EPO; JPO;	2004/01/05 13:57
		ADJ1 multiple ADJ1 access\$3))	DERWENT; IBM TDB	
30	2247	(shift\$1register\$3 OR register\$1) SAME (code\$1 OR spread\$4cod\$1) SAME (bit OR bits OR multi\$1bit\$1) SAME ((exclusiv\$4	USPAT; US-PGPUB; EPO; JPO;	2004/01/05 14:37
31	<b>√</b> 152	ADJ1 "or") OR (exclusiv\$4 ADJ1 or\$3) OR x\$1or\$3 OR exclusiv\$4or\$3) ((shift\$1register\$3 OR register\$1) SAME (code\$1 OR spread\$4cod\$1) SAME (bit OR bits OR multi\$1bit\$1) SAME ((exclusiv\$4	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/05 14:38
		ADJ1 "or") OR (exclusiv\$4 ADJ1 or\$3) OR x\$1or\$3 OR exclusiv\$4or\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	DERWENT; IBM_TDB	
32	13554	(shift\$1register\$3 OR register\$1) SAME (code\$1 OR spread\$4cod\$1) SAME (bit OR bits OR multi\$1bit\$1) SAME (memor\$3 OR RAM OR queu\$3 OR buffer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 14:38
33	<b>1</b> 239	((shift\$lregister\$3 OR register\$1) SAME (code\$1 OR spread\$4cod\$1) SAME (bit OR bits OR multi\$1bit\$1) SAME (memor\$3 OR RAM OR queu\$3 OR buffer\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 14:38
43	127816	access\$3)) ((writ\$3 OR read\$3) WITH (bit OR bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:03
44	21592	((writ\$3 OR read\$3) WITH (bit OR bits)) SAME (cod\$2 OR spread\$4cod\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:03
45	<b>√</b> 302	(((writ\$3 OR read\$3) WITH (bit OR bits)) SAME (cod\$2 OR spread\$4cod\$2)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:32
46	151817	(bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:33
47	28851	((bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)) SAME (cod\$3 OR spread\$3cod\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:34
48	1966	(((bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)) SAME (cod\$3 OR spread\$3cod\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:33
49	7058	((bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)) SAME (cod\$3 OR spread\$3cod\$3) SAME (read\$3 OR writ\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:34
50	126	(((bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)) SAME (cod\$3 OR spread\$3cod\$3) SAME (read\$3 OR writ\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/05 15:35
		multiple ADJ1 access\$3))	IBM_TDB	

		<del></del>		
52	10946	((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3	USPAT;	2004/01/05 16:29
	Ì	(spread\$3 OR depsread\$3)) ) SAME	US-PGPUB;	i
		(register\$3 OR shift\$1register\$3)	EPO; JPO;	
			DERWENT;	
54	750	(((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3	IBM_TDB USPAT;	2004/01/05 16:20
34	/50	(spread\$3 OR depsread\$3)) ) SAME	US-PGPUB;	2004/01/03 16:20
		(register\$3 OR shift\$1register\$3)) AND	EPO; JPO;	
		(\$2CDMA OR (code ADJ1 division ADJ1	DERWENT;	
		multiple ADJ1 access\$3))	IBM TDB	
55	<b>√</b> 33	(((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3	USPAT;	2004/01/05 16:12
	<b>Y</b>	(spread\$3 OR depsread\$3)) ) SAME	US-PGPUB;	
		(register\$3 OR shift\$1register\$3)) AND	EPO; JPO;	
		(\$2CDMA OR (code ADJ1 division ADJ1	DERWENT;	
		multiple ADJ1 access\$3)) AND (((time ADJ1	IBM_TDB	
		division ADJ1 duplex\$3) OR TDD) OR	_	
		((discontinuous ADJ1 transmission ADJ1		
F.0	<b>√</b> 44	control\$1) OR DTX\$2))		
58	₩ 44		USPAT;	2004/01/05 16:21
		(spread\$3 OR depsread\$3)) ) SAME	US-PGPUB;	
		(register\$3 OR shift\$1register\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1	EPO; JPO;	
		multiple ADJ1 access\$3))) AND discontin\$5	DERWENT; IBM TDB	
59	818	((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3	USPAT;	2004/01/05 17:06
		(spread\$3 OR depsread\$3)) ) SAME	US-PGPUB;	2001/01/03 17.00
		(register\$3 OR shift\$1register\$3) SAME	EPO; JPO;	
		((time\$1 OR timing\$1) WITH (bit OR bits OR	DERWENT;	
		multi\$1bit\$1))	IBM_TDB	
61	75	(((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3	USPĀT;	2004/01/05 16:33
	İ	(spread\$3 OR depsread\$3)) ) SAME	US-PGPUB;	!
		(register\$3 OR shift\$1register\$3) SAME	EPO; JPO;	
		((time\$1 OR timing\$1) WITH (bit OR bits OR	DERWENT;	
		multi\$1bit\$1))) AND (\$2CDMA OR (code ADJ1	IBM_TDB	ļ.
62	2196	division ADJ1 multiple ADJ1 access\$3)) ((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3	USPAT;	2004/01/05 17:07
""	2130	(spread\$3 OR depsread\$3)) ) SAME	US-PGPUB;	2004/01/03 17:07
		(register\$3 OR shift\$1register\$3) SAME	EPO; JPO;	
		(clock\$3 OR clk\$1)	DERWENT;	
			IBM TDB	
63	<b>V</b> 195	(((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3	USPĀT;	2004/01/05 17:07
		(spread\$3 OR depsread\$3)) ) SAME	US-PGPUB;	
		(register\$3 OR shift\$1register\$3) SAME	EPO; JPO;	
		(clock\$3 OR clk\$1)) AND (\$2CDMA OR (code	DERWENT;	
		ADJ1 division ADJ1 multiple ADJ1	IBM_TDB	
66	V 3	access\$3))   ("5699380"   "6088382"   "6088383").PN.	USPAT	2004/01/05 10:03
69	<b>√</b> 70	("3831013"   "3900721"   "4112372"	USPAT	2004/01/05 18:03 2004/01/05 18:05
		"4222115"   "4238850"   "4247942"	OSIAI	2004/01/03 18.03
		"4392232"   "4418393"   "4418425"		
		"4425642"   "4455651"   "4471164"		
		"4479226"   "4512013"   "4523311"		<u> </u>
		"4553130"   "4563774"   "4570265"		
		"4606039"   "4612415"   "4612637"		
		"4617674"   "4621365"   "4647863"		
	1	"4649549"   "4653069"   "4660164"     "4673605"   "4673630"   "4673650"		
		"4672605"   "4672629"   "4672658"     "4675839"   "4680785"   "4691326"		
		"4675839"   "4680785"   "4691326"    "4697260"   "4703474"   "4707839"		
		"4718080"   "473474"   4707839"   "4718080"   "4730340"   "4742512"		
		"4757495"   "4759034"   "4789983"		
		"4799253"   "4805208"   "4807222"		
		"4837802"   "4843350"   "4843586"		
	1	"4850036"   "4860307"   "4866732"		
		"4894842"   "4901307"   "4914651"		
		"4922506"   "4930140"   "4932037"		]
		"4969159"   "4977577"   "4977578"    "5005169"   "5016255"   "5016256"		
		"5005169"   "5016255"   "5016256"    "5022047"   "5023887"   "5029181"		
	]	"5040238"   "5048052"   "5056109"		
		"5103459").PN.		
70	67	5235615.URPN.	USPAT	2004/01/05 18:08

71	0	H8-321804	USPAT;	2004/01/05 18:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L			IBM TDB	